

SOCIAL HOUSING SPECIFIER'S GUIDE

JANUARY 2007




By appointment to
Her Majesty The Queen
Manufacturers and Installers of
Kitchen and Bathroom Furniture
Manhattan Furniture West Sussex


manhattan
FURNITURE FOR KITCHENS

DIMENSIONS

GENERAL DIMENSIONS AND NOGGIN HEIGHTS (FOR 720mm HIGH WALL UNITS WITH 2120mm TALL UNITS)



GENERAL DIMENSIONS AND NOGGIN HEIGHTS (FOR 900mm HIGH WALL UNITS WITH 2300mm TALL UNITS)



UNIT OPTIONS

CUBIC CAPACITIES

These are calculated on the internal dimensions of the unit, disregarding all drawers, removable shelves and back panels

⚠ Note: cubic capacities are calculated in cubic metres. All dimensions are in millimetres.

Unit Width	568mm deep, 140mm high drawer units	568mm deep, 575mm high base units	568mm deep, 720mm high base units	568mm deep, 1400mm high h/board units	568mm deep, 2120mm high tall units	568mm deep, 2300mm high tall units	316mm deep, 360mm high wall units	316mm deep, 720mm high wall units	316mm deep, 900mm high wall units
150mm	-	-	0.05	-	-	-	-	0.03	0.04
300mm	0.01	0.07	0.11	-	0.30	0.33	-	0.06	0.07
400mm	0.02	0.09	0.15	-	0.41	0.45	-	0.08	0.10
450mm	-	0.11	0.17	-	-	-	-	0.09	0.11
500mm	0.03	0.12	0.19	0.33	0.52	0.57	0.05	0.10	0.12
600mm	0.04	0.14	0.23	0.44	0.63	0.69	0.06	0.12	0.15
800mm	-	0.20	0.31	-	-	-	0.08	0.16	0.20
1000mm	-	0.25	0.39	-	-	-	0.10	0.20	0.25
1200mm	-	-	0.47	-	-	-	-	0.24	0.30

CODING GUIDELINES

Most single door cabinets have left or right hand opening doors and it is therefore essential to quote the correct type when ordering. A door with hinges to the left hand side as you are facing the cabinet is a **left hand unit**, a door with the hinges to the right hand side is a **right hand unit**.

Similarly, all base and base sink corner cabinets can be left or right handed. If the blanking panel is to the left when facing the cabinet, please specify a left hand model; if the blanking panel is to the right, please specify a right hand unit.

Base sink cabinets can also be left or right handed. If the draining board is to be fitted to the left of the unit, please specify a left hand model; if the draining board is to be fitted to the right, please specify a right hand model.

Height = from top to bottom

Width = from left to right

Depth = from back to front

BASE UNITS


With full-height door

Door height 715mm



With full-height doors

Door height 715mm



With drawer

Drawer front, height 140mm
Door height 570mm



NOTE: DRAWERS SUPPLIED WITH METAL-SIDED DRAWER SYSTEM.

With drawers

Drawer front, height 140mm
Door height 570mm



NOTE: DRAWERS SUPPLIED WITH METAL-SIDED DRAWER SYSTEM.

WIDTH 568 DEEP

300	Lt Hd 2601 Rt Hd 2602
400	Lt Hd 2611 Rt Hd 2612
450	Lt Hd 2775 Rt Hd 2776
500	Lt Hd 2621 Rt Hd 2622
600	Lt Hd 2641 Rt Hd 2642
800	2605
900	2688
1000	2615
1200	2637


300	Lt Hd 2603 Rt Hd 2604
400	Lt Hd 2613 Rt Hd 2614
500	Lt Hd 2623 Rt Hd 2624
600	Lt Hd 2643 Rt Hd 2644
800	2606
1000	2616
1200	2636

BASE CORNER UNIT


With full-height door




600mm WIDE UNIT
(300mm Wide door)




800mm WIDE UNIT
(400mm Wide door)




1000mm WIDE UNIT
(500mm Wide door)




1200mm WIDE UNIT
(600mm Wide door)




**800mm WIDE UNIT
(450mm Wide door)



*800mm WIDE UNIT
(500mm Wide door)



*1000mm WIDE UNIT
(600mm Wide door)



*1200mm WIDE UNIT
(2 X 400mm Wide doors)

NOTE: MIN & MAX POSITIONS FROM THE WALL WITH THE FRONT STRIP SET IN THE VERTICAL POSITION RESULTING IN 636MM FROM THE OPPOSING WALL.

WIDTH 568 DEEP

600	Lt Hd 2071 Rt Hd 2072
800	Lt Hd 2661 Rt Hd 2662
1000	Lt Hd 2663 Rt Hd 2664
1200	Lt Hd 2059 Rt Hd 2060
**800	Lt Hd 2789 Rt Hd 2790
*800	Lt Hd 2028 Rt Hd 2029
*1000	Lt Hd 2031 Rt Hd 2032
*1200	Lt Hd 2065 Rt Hd 2066


With drawer




600mm WIDE UNIT
(300mm Wide door)



800mm WIDE UNIT
(400mm Wide door)




1000mm WIDE UNIT
(500mm Wide door)




1200mm WIDE UNIT
(600mm Wide door)



*800mm WIDE UNIT
(500mm Wide door)



*1000mm WIDE UNIT
(600mm Wide door)




*1200mm WIDE UNIT
(2 X 400mm Wide doors)

NOTE: MIN & MAX POSITIONS FROM THE WALL WITH THE FRONT STRIP SET IN THE VERTICAL POSITION RESULTING IN 636MM FROM THE OPPOSING WALL.

NOTE: DRAWERS SUPPLIED WITH METAL-SIDED DRAWER SYSTEM.

600	Lt Hd 2075 Rt Hd 2076
800	Lt Hd 2657 Rt Hd 2658
1000	Lt Hd 2627 Rt Hd 2628
1200	Lt Hd 2063 Rt Hd 2064
*800	Lt Hd 2019 Rt Hd 2020
*1000	Lt Hd 2008 Rt Hd 2009
*1200	Lt Hd 2069 Rt Hd 2070


BASE CORNER POST



NOTE: A CORNER POST IS FITTED BETWEEN TWO ADJACENT UNITS WHERE A VOID SPACE IS CREATED IN THE CORNER.

WIDTH	720 HIGH	900 HIGH
636 X 636	6018	6023

BASE DISPLAY PENINSULAR BACK PANELS



NOTE: PENINSULAR BACK PANELS SHOULD BE SPECIFIED EITHER 720MM OR 870MM HIGH TO SUIT ADJACENT UNITS. REMEMBER TO SPECIFY HEIGHT, LENGTH AND GRAIN DIRECTION WHEN ORDERING.
NOTE: WHEN USED IN CONJUNCTION WITH BASE DISPLAY PENINSULAR UNITS, A BACK PANEL FIXING KIT 6012 **MUST** BE SPECIFIED (SEE BELOW).

MATERIAL	CODE
VARIABLE SIZE PANEL TO SUIT CARCASE FINISH	9036

BASE FLY END PANELS

Without notch

Panel height 900mm



WIDTH	DEPTH	CODE
16	568	6326
	668	6327

BASE DRAWER UNITS WITH 'METAL-SIDED' THREE-QUARTER OPENING DRAWERS

Three drawer unit - comprising top drawer and two high-sided drawers



450mm deep drawer box, finished in white

1 X Drawer front, height 140mm
 2 X Deep drawer fronts, height 283mm

WIDTH 568 DEEP

500	2607
600	2619

Four drawer unit - comprising three drawers and one high-sided drawer



450mm deep drawer box, finished in white

3 X Drawer fronts, height 140mm
 1 X Deep drawer fronts, height 283mm

500	2647
600	2675

Five drawer unit - comprising five standard height drawers




450mm deep drawer box, finished in white

5 X Drawer front, height 140mm

300	2783
400	2784
500	2785
600	2786

BASE OVEN HOUSING UNITS

To suit an integrated oven



Aperture height 600mm
 Infill height 116mm

WIDTH	568 DEEP
600	4615

NOTE: TOP RAIL TO BE REMOVED ON SITE.

BASE UNIT INFILL PANELS

Panel height 870mm



NOTE: TO BE ASSEMBLED AND CUT DOWN ON-SITE TO SUIT THE REQUIRED WIDTH.
NOTE: MINIMUM WIDTH IS 16MM.

WIDTH 720 HIGH

150	8030
300	8013
400	8088

BASE TRAY SPACE




NOTE: SUPPLIED 300MM WIDE, TO BE CUT DOWN ON-SITE TO REQUIRED WIDTH.
NOTE: MINIMUM WIDTH IS 100MM.

WIDTH 568 DEEP

300	6001
-----	------

BASE WINE RACK UNITS




WIDTH 316 DEEP

150	8041
-----	------

BASE SINK UNITS

With full-height door

Door height 715mm




NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE PAGE 23

WIDTH 316 DEEP

500	Lt Hd 2669 Rt Hd 2670
600	Lt Hd 2671 Rt Hd 2672

With full-height doors

Door height 715mm




NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE PAGE 23

800	2655
900	2676
1000	2665
1200	2666

With non-working drawer

Non-working drawer front, height 140mm
 Door height 570mm




NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE PAGE 23

500	Lt Hd 2691 Rt Hd 2692
600	Lt Hd 2696 Rt Hd 2690

With non-working drawer and drawer

Drawer front, height 140mm
 Door height 570mm




NOTE: DRAWERS SUPPLIED WITH METAL-SIDED DRAWER SYSTEM.
NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE PAGE 23

1000	Lt Hd 2633 Rt Hd 2634
1200	Lt Hd 2653 Rt Hd 2654

With non-working drawers

Non-working drawer front, height 140mm
 Door height 570mm




NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE PAGE 23

800	2001
1000	2699
1200	2014

BASE SINK BACK PANELS

Optional extra

Height 430mm




WIDTH 568 DEEP


500	6705
600	6706
800	6708
900	6709
1000	6710
1200	6712

BASE SINK CORNER UNITS


With full-height door




800mm WIDE UNIT
(400mm Wide door)




**800mm WIDE UNIT
(450mm Wide door)




1000mm WIDE UNIT
(500mm Wide door)



*800mm WIDE UNIT
(500mm Wide door)




*1000mm WIDE UNIT
(600mm Wide door)




*1200mm WIDE UNIT
(2 X 400mm Wide door)

NOTE: MIN & MAX POSITIONS FROM THE WALL WITH THE FRONT STRIP SET IN THE VERTICAL POSITION RESULTING IN 636MM FROM THE OPPOSING WALL.
NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE ABOVE


With non-working drawer




800mm WIDE UNIT
(400mm Wide door)




1000mm WIDE UNIT
(500mm Wide door)



*800mm WIDE UNIT
(500mm Wide door)



*1000mm WIDE UNIT
(600mm Wide door)



*1200mm WIDE UNIT
(2 X 400mm Wide door)

NOTE: MIN & MAX POSITIONS FROM THE WALL WITH THE FRONT STRIP SET IN THE VERTICAL POSITION RESULTING IN 636MM FROM THE OPPOSING WALL.
NOTE: BACK PANELS SUPPLIED AS AN OPTIONAL EXTRA SEE ABOVE


WIDTH 568 DEEP

800	Lt Hd 2625
(min 236-278)	Rt Hd 2626
**800	Lt Hd 2791
(min 286-328)	Rt Hd 2792
1000	Lt Hd 2631
(min 136-178)	Rt Hd 2632
*800	Lt Hd 2645
(min 336-378)	Rt Hd 2646
*1000	Lt Hd 2649
(min 236-278)	Rt Hd 2650
*1200	Lt Hd 2651
(min 236-278)	Rt Hd 2652

WIDTH 568 DEEP

800	Lt Hd 2677
(min 236-278)	Rt Hd 2678
1000	Lt Hd 2679
(min 136-178)	Rt Hd 2680
*800	Lt Hd 2681
(min 336-378)	Rt Hd 2682
*1000	Lt Hd 2685
(min 236-278)	Rt Hd 2686
*1200	Lt Hd 2693
(min 236-278)	Rt Hd 2694

TALL BROOM UNITS




2120 high 2300 high

Unit height 2120mm
 Carcase height 1970mm
 Top door height 1245mm
 Bottom door height 715mm
 or
 Unit height 2300mm
 Carcase height 2150mm
 Top door height 1245mm
 Bottom door height 895mm

WIDTH	2120 HIGH	2300 HIGH
300	Lt Hd 3643 Rt Hd 3644	Lt Hd 3683 Rt Hd 3684
400	Lt Hd 3645 Rt Hd 3646	N/A N/A
500	Lt Hd 3647 Rt Hd 3648	Lt Hd 3687 Rt Hd 3688
600	Lt Hd 3649 Rt Hd 3650	Lt Hd 3689 Rt Hd 3690

TALL HOUSING UNITS

To suit a single oven




2120 high 2300 high

Unit height 2120mm
 Carcase height 1970mm
 Top door height 570mm
 Infill panel to suit
 Aperture 664mm
 Bottom door height 715mm
 or
 Unit height 2300mm
 Carcase height 2150mm
 Top door height 715mm
 Infill panel to suit
 Aperture 699mm
 Bottom door height 715mm

DEPTH	WIDTH	2120 HIGH	2300 HIGH
568	600	Lt Hd 4621 Rt Hd 4622	Lt Hd 4651 Rt Hd 4652

To suit a double oven with short base door




2120 high 2300 high

Unit height 2120mm
 Carcase height 1970mm
 Top door height 450mm
 Infill panel to suit
 Aperture 932mm
 Bottom door height 570mm
 or
 Unit height 2300mm
 Carcase height 2150mm
 Top door height 570mm
 Infill panel to suit
 Aperture 989mm
 Bottom door height 570mm

568	600	Lt Hd 4671 Rt Hd 4672	Lt Hd 4673 Rt Hd 4674
-----	-----	--------------------------	--------------------------

TALL HOUSING UNITS - CONTINUED

To suit a refrigerator and/or freezer



2120 high 2300 high

Unit height 2120mm
 Carcase height 1970mm
 Top door height 1245mm
 Bottom door height 715mm
 Aperture 1937mm
 or
 Unit height 2300mm
 Carcase height 2150mm
 Top door height 1245mm
 Bottom door height 895mm
 Aperture 2117mm

DEPTH	WIDTH	2120 HIGH	2300 HIGH
568	600	Lt Hd 4645 Rt Hd 4646	Lt Hd 4655 Rt Hd 4656

NOTE: DOOR ORIENTATION WILL VARY DEPENDING ON THE APPLIANCE THAT HAS BEEN SPECIFIED.

TALL UNIT SHELVES



WIDTH	CODE
300	6027
500	6028
600	6029

NOTE: SHELVES MANUFACTURED FROM 16MM MELAMINE FACED CHIPBOARD, LIPPED WITH 0.6MM PVC EDGING. COLOUR DECIDED BY RANGE CHOICES.
NOTE: SUPPLIED AS A PAIR WITH SHELF CLIPS.
NOTE: SHELF WIDTH ANNOTATED IS NOMINAL TO SUIT UNITS.

TALL UNIT INFILL PANELS

WIDTH 1970 HIGH 2150 HIGH

150 8032 8031



NOTE: TO BE ASSEMBLED AND CUT DOWN ON-SITE TO SUIT THE REQUIRED WIDTH.
NOTE: MINIMUM WIDTH IS 16MM.
NOTE: 1970MM HIGH INFILL PANEL TO BE USED WITH 2120MM HIGH TALL UNITS.
NOTE: 2150MM HIGH INFILL PANEL TO BE USED WITH 2300MM HIGH TALL UNITS.

WALL UNITS

WIDTH 360 HIGH

With full-height, lift-up door



500 wide 1000 wide

NOTE: ON 800MM AND 1000MM WIDE UNITS SOME RANGES MAY HAVE TWO DOORS ATTACHED TO EACH OTHER SIDE BY SIDE.
NOTE: ON 800MM AND 1000MM WIDE UNITS THERE WILL BE AN INTERNAL SUPPORT RAIL BETWEEN THE TOP AND BOTTOM OF THE UNIT.

500 8360
600 8361


WALL UNITS

With full-height door



720 high 900 high


With full-height doors



720 high 900 high

WALL UNITS - DUAL HANDED

With full-height, dual-handed doors



720 high 900 high

NOTE: IDEALLY USED ADJACENT TO A COOKER HOOD TO PREVENT DOOR CLASHES, OR INTO A CORNER ALSO TO PREVENT DOOR CLASHES.

300	Lt Hd 8791 Rt Hd 8792	Lt Hd 8901 Rt Hd 8902
400	Lt Hd 8711 Rt Hd 8712	Lt Hd 8911 Rt Hd 8912
450	Lt Hd 8837 Rt Hd 8838	N/A N/A
500	Lt Hd 8721 Rt Hd 8722	Lt Hd 8921 Rt Hd 8922
600	Lt Hd 8741 Rt Hd 8742	Lt Hd 8941 Rt Hd 8942
800	8706	8906
900	8733	N/A
1000	8716	8916
1200	8758	8958

WIDTH	720 HIGH	900 HIGH
800	Lt Hd 8803 Rt Hd 8804	Lt Hd 8813 Rt Hd 8814
1000	Lt Hd 8805 Rt Hd 8806	Lt Hd 8815 Rt Hd 8816


WALL CORNER UNITS

DOOR WIDTH 720 HIGH 900 HIGH

With full-height door - 600mm carcass width



720 high



900 high

300 (min 636-678)	Lt Hd 8793 Rt Hd 8794	Lt Hd 8801 Rt Hd 8802
----------------------	--------------------------	--------------------------

With full-height door - 600mm carcass width




720 high




900 high

400 (min 736-778)	Lt Hd 8821 Rt Hd 8822	Lt Hd 8861 Rt Hd 8862
450 (min 786-828)	Lt Hd 8823 Rt Hd 8824	N/A N/A
500 (min 836-878)	Lt Hd 8825 Rt Hd 8826	Lt Hd 8865 Rt Hd 8866

With full-height door - 800mm carcass width




720 high



900 high

500 (min 836-878)	Lt Hd 8827 Rt Hd 8828	Lt Hd 8867 Rt Hd 8868
----------------------	--	--

With full-height door - 900mm carcass width



720 high



900 high

600 (min 936-978)	Lt Hd 8831 Rt Hd 8832	Lt Hd 8871 Rt Hd 8872
----------------------	--	--

WALL UNIT INFILL PANELS

WIDTH 720 HIGH 900 HIGH



720 high



900 high

150	8754	8930
300	8753	8931

NOTE: TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH.
NOTE: MINIMUM WIDTH IS 16MM.

WALL WINE RACK

WIDTH 720 HIGH 900 HIGH

To suit 316mm deep wall units



720 high




900 high

150	8707	8907
-----	------	------

INTEGRATED EXTRACTOR HOOD

WIDTH 450 HIGH

600 CH700




NOTE: 450MM HIGH TO SUIT 720MM WALL UNITS.
NOTE: WHEN USING 900MM WALL UNITS, AN INTEGRATED EXTRACTOR HOOD INFILL PANEL MUST BE SPECIFIED (SEE BELOW).

INTEGRATED EXTRACTOR HOOD INFILL PANEL

WIDTH 175 HIGH

600 8168




NOTE: 175MM INFILL TO BE USED IN CONJUNCTION WITH INTEGRATED EXTRACTOR HOOD TO SUIT 900MM WALL UNITS.

VARIABLE SIZE SPLASH BACKS

SIZE CODE

3000 X 1300 MAX 9100
 (HORIZONTAL GRAIN)
 PRICED PER METRE SQUARE




NOTE: MANUFACTURED FROM 3MM SOLID CORE LAMINATE, WITH THE GRAIN DIRECTION AS HORIZONTAL (ONLY AVAILABLE IN SELECTED LAMINATE COLOURS).
NOTE: WHEN SPECIFYING BEHIND A CHIMNEY EXTRACTOR, THE SPLASH BACK **MUST** RUN THROUGH TO THE CEILING TO ENSURE THAT THE EXTRACTOR CAN BE FITTED CORRECTLY.

3MM WORKTOP UPSTANDS

HEIGHT WIDTH CODE

100 1500 MAX 9105
 3000 MAX 9102

For positioning directly above the worktop




NOTE: MANUFACTURED FROM 3MM SOLID CORE LAMINATE, WITH THE GRAIN DIRECTION AS HORIZONTAL (ONLY AVAILABLE IN SELECTED LAMINATE COLOURS).

11MM THICK WORKTOP UPSTANDS

HEIGHT WIDTH CODE

100 3000 MAX 9107

For positioning directly above the worktop




NOTE: MANUFACTURED FROM 11MM LAMINATE CHIPBOARD, WITH THE GRAIN DIRECTION AS HORIZONTAL (ONLY AVAILABLE IN SELECTED LAMINATE COLOURS).

Welcome to Manhattan's **enable** range of units, our most comprehensive to date. This new range of units will be able to offer you plenty of exciting solutions when planning your kitchens. And remember, this is just the selection of 'specialist' units, everything you have seen so far in this comprehensive Specifier's Guide can be used in your kitchens.

enable:
inclusively designed accessible kitchens

ENABLE: BASE UNITS - REDUCED HEIGHT

With full-height door




Carcase height 575mm
Door height 570mm

WIDTH 568 DEEP

300	Lt Hd 2151 Rt Hd 2152
400	Lt Hd 2153 Rt Hd 2154
500	Lt Hd 4911 Rt Hd 4912
600	Lt Hd 4913 Rt Hd 4914

With full-height door




Carcase height 575mm
Door height 570mm

800	4918
1000	4920

ENABLE: BASE DRAWER UNITS WITH 'METAL-SIDED' DRAWERS (CONTINUED)

Three drawer unit - comprising two drawers and one high-sided drawer




Carcase height 575mm
450mm deep drawer, finished in white
2 X Drawer fronts, height 140mm
1 X Deep drawer fronts, height 283mm

WIDTH CODE

500	2175
600	2176

Four drawer unit - comprising four drawers




Carcase height 575mm
450mm deep drawer, finished in white
4 X Drawer fronts, height 140mm


300	2177
400	2178
500	2179
600	2180

ENABLE: BASE DRAWER UNIT WITH PULL-OUT TABLE SURFACE AND 'METAL-SIDED' DRAWERS ENABLE:


With full-height door




600mm WIDE UNIT
(300mm Wide door)




800mm WIDE UNIT
(400mm Wide door)



1000mm WIDE UNIT
(500mm Wide door)



*800mm WIDE UNIT
(500mm Wide door)



*1000mm WIDE UNIT
(600mm Wide door)

Carcase height 575mm
Door height 570mm

WIDTH CODE

600	Lt Hd 2185 Rt Hd 2186
800	Lt Hd 2187 Rt Hd 2188
1000	Lt Hd 2189 Rt Hd 2190
*800	Lt Hd 2191 Rt Hd 2192
*1000	Lt Hd 2193 Rt Hd 2194


NOTE: MIN & MAX POSITIONS FROM THE WALL WITH THE FRONT STRIP SET IN THE VERTICAL POSITION RESULTING IN 636MM FROM THE OPPOSING WALL.

ENABLE: MOBILE TROLLEY UNIT

WIDTH 568 DEEP

Mobile trolley unit with cutlery drawer and locking castors

500 675 2150



ENABLE: KITCHEN ACCESSORY - PELMET

LENGTH CODE

Worktop blanking pelmet

MAX 2300 6195




NOTE: TO BE SPECIFIED WHERE A RUN OF WORKTOP IS BEING USED TO ALLOW DISABLED ACCESS TO SINK OR HOB AREA. THE PELMET WILL ALLOW THE WORKTOP SUPPORT BRACKETS TO BE HIDDEN FROM THE VIEW OF THE USER.

ENABLE: KITCHEN ACCESSORY - CORNER UNIT BLANKING PANEL

WIDTH 568 DEEP

Base corner unit blanking panel

678 X 570 6196
678 X 715 6197




NOTE: WHEN USING THE BLANKING PANEL, REMEMBER TO REMOVE THE S-FRAME AND FILLET TO ENSURE THAT THE KITCHEN IS PLANNED ON A 600MM CORNER MODULE.
NOTE: PANEL TO BE CUT-ON-SITE TO SUIT BASE CORNER UNIT ADJUSTMENT.
NOTE: REGARDLESS OF DOOR COLOUR, THIS PANEL WILL BE MANUFACTURED TO SUIT THE CARCASE COLOUR OF THE UNITS ORDERED.

ENABLE: KITCHEN ACCESSORY - HALF CIRCLE, FULL EXTENSION CAROUSELS

SIZE CODE

Carousels for use in corner units

000 X 000 MECH100A



NOTE: CAROUSEL TRAYS SUPPLIED AS A SINGLE ITEM, IT IS RECOMMENDED THAT YOU SUPPLY TWO CAROUSELS PER BASE CORNER UNIT.
NOTE: CAROUSEL TRAYS WILL ONLY SUIT 1000MM BASE CORNER UNITS, WITH A DOOR SIZE OF 500MM.

ENABLE: WALL UNIT

WIDTH 720 HIGH


With full-height door



720 high

300 Lt Hd 8523
Rt Hd 8524
400 Lt Hd 8525
Rt Hd 8526
450 Lt Hd 8527
Rt Hd 8528
500 Lt Hd 8529
Rt Hd 8530
600 Lt Hd 8531
Rt Hd 8532

With full-height doors




720 high

800 8533
900 8534
1000 8535

To suit a single oven

600

3750




Unit height 2120mm
 Carcase height 1970mm
 Top, lift-up door 355mm
 Open shelf, variable depending on oven size
 Aperture 650mm
 Bottom pan drawer height 355mm

To suit a single oven and microwave

600

3751




Unit height 2120mm
 Carcase height 1970mm
 Top, lift-up door 355mm
 Infill panel to suit
 Top aperture 450mm
 Bottom aperture 650mm
 Bottom pan drawer height 355mm

To suit an integrated refrigerator or freezer

600

Lt Hd 3753
 Rt Hd 3754



Unit height 2120mm
 Carcase height 1970mm
 Top, lift-up door 355mm
 Open shelf 335mm
 Door height 895mm
 Bottom pan drawer height 283mm




 (Any infill to be fitted internally behind door)

ENABLE: KITCHEN ACCESSORY - WORKTOP SUPPORT ARM

SIZE	CODE
------	------

Support arm for use under a span of worktop, with no units under

500 X 410	MECH101A
-----------	----------






NOTE: SUPPLY TWO BRACKETS FOR WORKTOP SPANS UP TO 400MM WIDE, AND THREE BRACKETS FOR WORKTOP SPANS OVER 1200MM WIDE.
NOTE: MINIMUM WORKTOP HEIGHT OF 695MM (TO UNDERSIDE); BRACKET ADJUSTABLE IN HEIGHT IN 25MM INCREMENTS TO MAXIMUM OF 870MM (TO UNDERSIDE).

ENABLE: KITCHEN ACCESSORY - BASE UNIT SUPPORT ARM

SIZE	CODE
------	------

Support arm for use under enable base units, with worktop over

500 X 410	MECH102A
-----------	----------



NOTE: SUPPLY TWO BRACKETS FOR UNITS UP TO 600MM WIDE, AND THREE BRACKETS FOR UNITS 800MM AND OVER.
NOTE: MINIMUM WORKTOP HEIGHT OF 745MM (TO UNDERSIDE); BRACKET ADJUSTABLE IN HEIGHT IN 25MM INCREMENTS TO MAXIMUM OF 1070MM (TO UNDERSIDE).

SINGLE POSTFORMED WORKTOPS**38MM****CONTINUOUS PLINTH - 150MM HIGH****CODE**

38mm & 60mm Single postformed laminate worktop



Depth up to 600mm.
9086
Depth 601-850mm.
9087




Colour specific to individual range,
supplied in 2.3m lengths.

6094


NOTE: 3.6M MAXIMUM LENGTH

DOUBLE POSTFORMED WORKTOPS**38MM****RETURN PLINTH - 175MM HIGH****CODE**

38mm & 60mm Double postformed laminate worktop




Depth 670mm.
9088
Depth 900mm.
9089



Colour specific to individual range,
supplied in 2.3m lengths.

6095

NOTE: 3.6M MAXIMUM LENGTH

WORKTOP CONNECTOR BOLTS**CODE****LOCKABLE CHROME BASKET****CODE**

Consists of a pair of butterfly bolts to
be recessed into the worktop

FACM009A




Fits inside cabinets under a worktop.

MECH125A

ALUMINIUM CORNER WORKTOP JOINT STRIP**CODE**


Corner jointing strip for 600mm deep
postformed worktops

FACM256A

**ALUMINIUM IN-LINE WORKTOP JOINT STRIP****CODE**


In-run jointing strip for 600mm deep
postformed worktops

FACM257A

**ALUMINIUM WORKTOP HEAT PROTECTION STRIP****CODE**

Heat protection end strips for 600mm
deep postformed worktops next to a
free-standing oven

FACM258A



3-BIN SEGREGATED PULL-OUT WASTE

Revolves out of a cabinet. Mounts on to the carcass end panel and the rear face of a hinged door. 3 separate bins in light grey plastic.
Capacity: 19 + 12 + 9 = 40 litres.
Fits a 500 or 600mm wide unit.

CODE

FACM201A

PYRAMID UNDER WALL LIGHT

Pyramid triangular light - surface mounted under wall units or shelves. Low voltage light with 20 watt halogen bulb. Supplied with 2m lead and extension lead plug connector's.

NOTE: MUST BE USED WITH A 5-WAY TRANSFORMER/DISTRIBUTOR AS DETAILED BELOW (TYPE A-A).
NOTE: MUST BE USED WITH EXTENSION CABLES AS DETAILED BELOW (TYPE A-A).

CODES/Steel
ACCS152A**36 LITRES - TANDEM WASTE BIN**

For hinged door base units 400mm wide.
Designed to be withdrawn from the unit whilst the lid lifts and remains inside.
Dimensions: 471mm deep x 320mm high x 346mm wide
Capacity: 2 x 18 Litres

CODE

FACM324A

3-WAY DISTRIBUTOR / TRANSFORMER COMBINATION (TYPE A-A)

3-way, 105w transformer with mini distributor - takes up to a maximum of 5 x 20w lights per transformer with min. load of 20w.
Supplied with 3m mains lead.

NOTE: REMEMBER TO CALCULATE THE WATTAGE OF LIGHTS WHEN SPECIFYING TO ENSURE TRANSFORMER IS NOT OVER-LOADED.

CODE

ACCS108A

35 LITRE - TRIPLE WASTE BIN


For hinged door base units 400mm wide.
Designed to be withdrawn from the unit whilst the lid lifts and remains inside.
Dimensions: 471mm deep x 320mm high x 336mm wide
Capacity: 1 x 18 Litres & 2 x 8.5 Litres

CODE

FACM323A

EXTENSION CABLES (TYPE A-A)

Extension cable - for connecting lights into the transformer/distributor.

CODE1m long
ACCS109A
2m long
ACCS110A**HALF SWING-OUT WIRE BASKETS**

For use in a base corner units 2663/64 2627/28 & 2189/90 only.

NOTE: SUPPLIED AS A PAIR.

CODE

MECH001A

MINI FLUORESCENT LIGHTING

Fluorescent lighting with switch - for fitting behind light fascia under a wall unit. White metal casing, with a warm white fluorescent tube.
Supplied with 2m of bare ended mains lead.

NOTE: NO TRANSFORMER IS REQUIRED FOR THESE LIGHTS. EACH LIGHT IS SUPPLIED WITH A 2M MAINS CABLE - TO BE FITTED BY A QUALIFIED ELECTRICIAN.

CODE270mm
ACCS120A
390mm
ACCS121A
520mm
ACCS122A
620mm
ACCS123A**PLINTH AND WORKTOP VENTILATION GRILLS**

To be fitted over a plinth cut-out in either a base, highboard or tall housing, or, fitted in to the worktop over a highboard housing unit.


NOTE: * MANUFACTURED FROM PLASTIC.
NOTE: ** MANUFACTURED FROM ALUMINIUM, AND THEN SPRAYED THE APPROPRIATE COLOUR.

CODE*White
FACM060A
**Silver
FACM082B**INTERCONNECTING LEADS (TYPE B-B)**

Mini fluorescent lighting interconnecting leads - with moulded-on male and female connector's.

CODE300mm
ACCS124A
2000mm
ACCS125A
3000mm
ACCS156A**CORNICE**

Style, material and finish specific to individual range.

CODE2.3 meters
6061**STAINLESS STEEL SPLASHBACKS (1212MM HIGH)**

0.9mm thick stainless steel splash back, 1212mm high to suit the use of 720mm high wall units.

NOTE: BOND DIRECTLY ON TO WALL OR SOLID CORE LAMINATE SPLASHBACK WITH SILICONE.
NOTE: REMEMBER TO SPECIFY SOLID CORE LAMINATE SPLASHBACK SEPARATELY IF REQUIRED.

CODE600mm
SSTP800A**LIGHT FASCIA**

Style, material and finish specific to individual range.

CODE2.3 meters
6065**BREAKFAST BAR LEGS - 870MM HIGH**

870mm x 60mm diameter, adjustable height leg.

CODEWhite
LEGS032A
S/Steel
LEGS035A

SOCIAL HOUSING SPECIFIER'S GUIDE

JANUARY 2007

MANHATTAN FURNITURE

BLenheim ROAD
LANCING BUSINESS PARK
LANCING
WEST SUSSEX
BN15 8UH

TEL: 01903 524300
FAX: 01903 750679
EMAIL: MANHATTAN@MANHATTAN.CO.UK
WEB: WWW.MANHATTAN.CO.UK

manhattan
FURNITURE FOR KITCHENS